

CENTURION® W GRAIN BIN SPECIFICATIONS


	TIERS		DIAMETER		CAPACITY ⁽¹⁾			EAVES HEIGHT		OVERALL HEIGHT ⁽⁴⁾		WEIGHT	
	#	FT	M	BU ⁽²⁾	M ³	TONNES ⁽³⁾	FT	M	FT	M	LB	KG	
1505	5	14' 11"	4.55	2,940	98	80	18' 6"	5.64	22' 7"	6.89	3,200	1,450	
1506	6	14' 11"	4.55	3,490	116	95	22' 2"	6.76	26' 3"	8.01	3,600	1,600	
1507	7	14' 11"	4.55	4,030	134	109	25' 10"	7.87	29' 11"	9.13	4,100	1,850	
1508	8	14' 11"	4.55	4,580	153	124	29' 6"	8.99	33' 7"	10.25	4,400	2,000	
1509	9	14' 11"	4.55	5,130	171	139	33' 2"	10.11	37' 3"	11.36	5,000	2,300	
1510 ⁽⁴⁾	10	14' 11"	4.55	5,670	189	154	36' 10"	11.23	40' 10"	12.45	5,400	2,450	
1511 ⁽⁴⁾	11	14' 11"	4.55	6,220	207	169	40' 6"	12.35	44' 6"	13.57	6,000	2,750	
1512 ⁽⁴⁾	12	14' 11"	4.55	6,770	225	184	44' 2"	13.46	48' 2"	14.68	6,800	3,100	
1805	5	17' 11"	5.46	4,290	143	116	18' 6"	5.64	23' 6"	7.16	3,800	1,750	
1806	6	17' 11"	5.46	5,080	169	138	22' 2"	6.76	27' 2"	8.27	4,300	1,950	
1807	7	17' 11"	5.46	5,860	195	159	25' 10"	7.87	30' 10"	9.39	4,800	2,150	
1808	8	17' 11"	5.46	6,650	222	180	29' 6"	8.99	34' 6"	10.51	5,300	2,400	
1809	9	17' 11"	5.46	7,440	248	202	33' 2"	10.11	38' 2"	11.63	6,000	2,750	
1810 ⁽⁴⁾	10	17' 11"	5.46	8,220	274	223	36' 10"	11.23	41' 8"	12.71	6,700	3,050	
1811 ⁽⁴⁾	11	17' 11"	5.46	9,010	300	244	40' 6"	12.35	45' 4"	13.83	7,500	3,400	
1812 ⁽⁴⁾	12	17' 11"	5.46	9,800	326	266	44' 2"	13.46	49' 0"	14.95	8,200	3,700	
2105	5	20' 11"	6.37	5,910	197	160	18' 6"	5.64	24' 4"	7.42	4,500	2,050	
2106	6	20' 11"	6.37	6,980	233	189	22' 2"	6.76	28' 0"	8.54	5,000	2,250	
2107	7	20' 11"	6.37	8,050	269	218	25' 10"	7.87	31' 8"	9.65	5,600	2,550	
2108	8	20' 11"	6.37	9,120	304	247	29' 6"	8.99	35' 4"	10.77	6,200	2,850	
2109	9	20' 11"	6.37	10,190	340	277	33' 2"	10.11	39' 0"	11.89	7,100	3,200	
2110 ⁽⁴⁾	10	20' 11"	6.37	11,270	375	306	36' 10"	11.23	42' 7"	12.97	7,600	3,450	
2111 ⁽⁴⁾	11	20' 11"	6.37	12,340	411	335	40' 6"	12.35	46' 3"	14.09	8,800	4,000	
2112 ⁽⁴⁾	12	20' 11"	6.37	13,410	447	364	44' 2"	13.46	49' 11"	15.21	9,600	4,400	
2405	5	23' 10"	7.28	7,820	261	212	18' 6"	5.64	25' 2"	7.68	5,200	2,350	
2406	6	23' 10"	7.28	9,220	308	250	22' 2"	6.76	28' 10"	8.80	5,800	2,600	
2407	7	23' 10"	7.28	10,610	354	288	25' 10"	7.87	32' 6"	9.92	6,600	3,000	
2408	8	23' 10"	7.28	12,010	401	326	29' 6"	8.99	36' 2"	11.03	7,200	3,250	
2409	9	23' 10"	7.28	13,410	447	364	33' 2"	10.11	39' 10"	12.15	8,000	3,600	
2410 ⁽⁴⁾	10	23' 10"	7.28	14,810	494	402	36' 10"	11.23	43' 5"	13.24	8,800	3,950	
2411 ⁽⁴⁾	11	23' 10"	7.28	16,210	540	440	40' 6"	12.35	47' 1"	14.35	9,800	4,450	
2412 ⁽⁴⁾	12	23' 10"	7.28	17,610	587	478	44' 2"	13.46	50' 9"	15.47	11,400	5,200	
2705	5	26' 10"	8.19	10,010	335	272	18' 6"	5.64	26' 1"	7.94	6,100	2,800	
2706	6	26' 10"	8.19	11,780	394	320	22' 2"	6.76	29' 9"	9.06	6,800	3,100	
2707	7	26' 10"	8.19	13,550	453	368	25' 10"	7.87	33' 5"	10.18	7,700	3,500	
2708	8	26' 10"	8.19	15,320	511	416	29' 6"	8.99	37' 1"	11.30	8,400	3,800	
2709	9	26' 10"	8.19	17,090	570	464	33' 2"	10.11	40' 9"	12.41	9,500	4,300	
2710 ⁽⁴⁾	10	26' 10"	8.19	18,860	629	512	36' 10"	11.23	44' 3"	13.50	10,200	4,600	
2711 ⁽⁴⁾	11	26' 10"	8.19	20,630	688	560	40' 6"	12.35	47' 11"	14.62	11,300	5,150	
2712 ⁽⁴⁾	12	26' 10"	8.19	22,400	747	608	44' 2"	13.46	51' 7"	15.73	12,900	5,850	
3005	5	29' 10"	9.10	12,510	419	339	18' 6"	5.64	26' 6"	8.09	7,000	3,150	
3006	6	29' 10"	9.10	14,700	491	399	22' 2"	6.76	30' 2"	9.20	7,700	3,500	
3007	7	29' 10"	9.10	16,880	564	458	25' 10"	7.87	33' 10"	10.32	8,700	3,950	
3008	8	29' 10"	9.10	19,070	637	517	29' 6"	8.99	37' 6"	11.44	9,500	4,300	
3009	9	29' 10"	9.10	21,250	709	576	33' 2"	10.11	41' 2"	12.56	10,800	4,900	
3010 ⁽⁴⁾	10	29' 10"	9.10	23,440	782	636	36' 10"	11.23	44' 8"	13.62	11,800	5,350	
3011 ⁽⁴⁾	11	29' 10"	9.10	25,620	854	695	40' 6"	12.35	48' 4"	14.74	13,400	6,050	
3012 ⁽⁴⁾	12	29' 10"	9.10	27,810	927	754	44' 2"	13.46	52' 0"	15.86	14,900	6,750	
3305	5	32' 10"	10.01	15,320	513	416	18' 6"	5.64	27' 5"	8.35	7,800	3,550	
3306	6	32' 10"	10.01	17,960	601	487	22' 2"	6.76	31' 1"	9.47	8,700	3,950	
3307	7	32' 10"	10.01	20,610	689	559	25' 10"	7.87	34' 9"	10.58	9,900	4,500	
3308	8	32' 10"	10.01	23,250	777	631	29' 6"	8.99	38' 5"	11.70	10,900	4,950	
3309	9	32' 10"	10.01	25,900	865	702	33' 2"	10.11	42' 1"	12.82	12,400	5,650	
3310 ⁽⁴⁾	10	32' 10"	10.01	28,540	952	774	36' 10"	11.23	45' 7"	13.89	13,600	6,150	
3311 ⁽⁴⁾	11	32' 10"	10.01	31,180	1,040	846	40' 6"	12.35	49' 3"	15.00	15,500	7,050	
3312 ⁽⁴⁾	12	32' 10"	10.01	33,830	1,128	918	44' 2"	13.46	52' 11"	16.12	17,200	7,800	
3605	5	35' 10"	10.91	18,450	618	500	18' 6"	5.64	28' 3"	8.61	8,800	4,000	
3606	6	35' 10"	10.91	21,590	723	586	22' 2"	6.76	31' 11"	9.73	9,900	4,500	
3607	7	35' 10"	10.91	24,740	827	671	25' 10"	7.87	35' 7"	10.85	11,200	5,100	
3608	8	35' 10"	10.91	27,890	932	756	29' 6"	8.99	39' 3"	11.96	12,500	5,650	
3609	9	35' 10"	10.91	31,030	1,036	842	33' 2"	10.11	42' 11"	13.08	14,100	6,400	
3610 ⁽⁴⁾	10	35' 10"	10.91	34,180	1,141	927	36' 10"	11.23	46' 5"	14.15	15,800	7,150	
3611 ⁽⁴⁾	11	35' 10"	10.91	37,330	1,246	1,012	40' 6"	12.35	50' 1"	15.27	17,500	7,950	
3612 ⁽⁴⁾	12	35' 10"	10.91	40,470	1,350	1,098	44' 2"	13.46	53' 9"	16.38	19,300	8,750	

CENTURION® W GRAIN BIN SPECIFICATIONS

	TIERS		DIAMETER		CAPACITY ⁽¹⁾			EAVES HEIGHT		OVERALL HEIGHT ⁽⁴⁾		WEIGHT	
	#		FT	M	BU ⁽²⁾	M ³	TONNES ⁽³⁾	FT	M	FT	M	LB	KG
3905	5		38' 10"	11.82	21,900	734	594	18' 6"	5.64	29' 1"	8.87	10,500	4,750
3906	6		38' 10"	11.82	25,590	857	694	22' 2"	6.76	32' 9"	9.99	11,800	5,350
3907	7		38' 10"	11.82	29,290	980	794	25' 10"	7.87	36' 5"	11.11	13,200	6,000
3908	8		38' 10"	11.82	32,980	1,103	895	29' 6"	8.99	40' 1"	12.23	15,000	6,800
3909	9		38' 10"	11.82	36,670	1,225	995	33' 2"	10.11	43' 9"	13.35	16,400	7,450
3910 ⁽⁴⁾	10		38' 10"	11.82	40,370	1,348	1,095	36' 10"	11.23	47' 3"	14.41	18,700	8,450
3911 ⁽⁴⁾	11		38' 10"	11.82	44,060	1,471	1,195	40' 6"	12.35	50' 11"	15.53	20,900	9,500
3912 ⁽⁴⁾	12		38' 10"	11.82	47,750	1,593	1,295	44' 2"	13.46	54' 7"	16.65	22,900	10,400
4205	5		41' 9"	12.73	25,690	862	697	18' 6"	5.64	30' 0"	9.14	11,500	5,200
4206	6		41' 9"	12.73	29,970	1,004	813	22' 2"	6.76	33' 8"	10.25	13,100	5,950
4207	7		41' 9"	12.73	34,260	1,147	929	25' 10"	7.87	37' 4"	11.37	14,600	6,600
4208	8		41' 9"	12.73	38,540	1,289	1,045	29' 6"	8.99	41' 0"	12.49	16,500	7,500
4209	9		41' 9"	12.73	42,820	1,431	1,162	33' 2"	10.11	44' 8"	13.61	18,200	8,250
4210 ⁽⁴⁾	10		41' 9"	12.73	47,110	1,574	1,278	36' 10"	11.23	48' 2"	14.67	20,900	9,450
4211 ⁽⁴⁾	11		41' 9"	12.73	51,390	1,716	1,394	40' 6"	12.35	51' 10"	15.79	23,300	10,550
4212 ⁽⁴⁾	12		41' 9"	12.73	55,670	1,858	1,510	44' 2"	13.46	55' 6"	16.91	25,600	11,600
4505	5		44' 9"	13.64	29,830	1,001	809	18' 6"	5.64	30' 10"	9.4	12,700	5,750
4506	6		44' 9"	13.64	34,740	1,165	942	22' 2"	6.76	34' 6"	10.52	14,400	6,550
4507	7		44' 9"	13.64	39,660	1,328	1,076	25' 10"	7.87	38' 2"	11.64	16,000	7,250
4508	8		44' 9"	13.64	44,580	1,491	1,209	29' 6"	8.99	41' 10"	12.75	18,300	8,300
4509	9		44' 9"	13.64	49,490	1,655	1,342	33' 2"	10.11	45' 6"	13.87	20,400	9,250
4510 ⁽⁴⁾	10		44' 9"	13.64	54,410	1,818	1,476	36' 10"	11.23	49' 0"	14.94	23,200	10,500
4511 ⁽⁴⁾	11		44' 9"	13.64	59,330	1,982	1,609	40' 6"	12.35	52' 8"	16.05	25,900	11,750
4512 ⁽⁴⁾	12		44' 9"	13.64	64,240	2,145	1,743	44' 2"	13.46	56' 4"	17.17	28,400	12,900
4805	5		47' 9"	14.55	34,320	1,153	931	18' 6"	5.64	31' 8"	9.66	14,100	6,400
4806	6		47' 9"	14.55	39,910	1,338	1,083	22' 2"	6.76	35' 4"	10.78	16,000	7,250
4807	7		47' 9"	14.55	45,510	1,524	1,234	25' 10"	7.87	39' 0"	11.9	17,900	8,150
4808	8		47' 9"	14.55	51,100	1,710	1,386	29' 6"	8.99	42' 8"	13.02	20,400	9,250
4809	9		47' 9"	14.55	56,690	1,896	1,538	33' 2"	10.11	46' 4"	14.13	23,100	10,450
4810 ⁽⁴⁾	10		47' 9"	14.55	62,290	2,082	1,690	36' 10"	11.23	49' 10"	15.2	25,700	11,650
4811 ⁽⁴⁾	11		47' 9"	14.55	67,880	2,268	1,841	40' 6"	12.35	53' 6"	16.32	28,700	13,050
4812 ⁽⁴⁾	12		47' 9"	14.55	73,480	2,454	1,993	44' 2"	13.46	57' 2"	17.43	31,800	14,450
5105	5		50' 9"	15.46	39,170	1,316	1,062	18' 6"	5.64	32' 2"	9.81	15,600	7,050
5106	6		50' 9"	15.46	45,490	1,526	1,234	22' 2"	6.76	35' 10"	10.93	17,800	8,100
5107	7		50' 9"	15.46	51,800	1,736	1,405	25' 10"	7.87	39' 6"	12.05	19,900	9,050
5108	8		50' 9"	15.46	58,120	1,946	1,576	29' 6"	8.99	43' 2"	13.17	23,300	10,550
5109	9		50' 9"	15.46	64,430	2,156	1,748	33' 2"	10.11	46' 10"	14.28	25,600	11,600
5110 ⁽⁴⁾	10		50' 9"	15.46	70,750	2,366	1,919	36' 10"	11.23	50' 6"	15.4	28,400	12,900
5111 ⁽⁴⁾	11		50' 9"	15.46	77,060	2,576	2,090	40' 6"	12.35	54' 2"	16.52	32,100	14,550
5112 ⁽⁴⁾	12		50' 9"	15.46	83,380	2,785	2,262	44' 2"	13.46	57' 10"	17.64	35,400	16,050
5405	5		53' 9"	16.37	44,400	1,493	1,204	18' 6"	5.64	33' 1"	10.08	16,500	7,450
5406	6		53' 9"	16.37	51,480	1,728	1,396	22' 2"	6.76	36' 9"	11.19	18,900	8,550
5407	7		53' 9"	16.37	58,560	1,963	1,588	25' 10"	7.87	40' 5"	12.31	21,300	9,700
5408	8		53' 9"	16.37	65,640	2,199	1,780	29' 6"	8.99	44' 1"	13.43	24,900	11,250
5409	9		53' 9"	16.37	72,720	2,434	1,972	33' 2"	10.11	47' 9"	14.55	27,800	12,600
5410 ⁽⁴⁾	10		53' 9"	16.37	79,800	2,669	2,164	36' 10"	11.23	51' 5"	15.67	32,500	14,750
5411 ⁽⁴⁾	11		53' 9"	16.37	86,880	2,904	2,356	40' 6"	12.35	55' 1"	16.78	35,500	16,100
5412 ⁽⁴⁾	12		53' 9"	16.37	93,960	3,140	2,549	44' 2"	13.46	58' 9"	17.9	39,700	18,000

- Capacities shown include 30° roof cone.
- Based on 1.244 ft³ per bu. and 5% compaction below eaves line.
- Bulk density = 770 kg/m³ = 48 lb/ft³ and 5% compaction below eaves line.
- Supplied with flat caps – all other models supplied with domed cap and remote cap opener.





Andy Medlyn

Sales

Harberger Transport : Storage : Equipment
 16-18 Racecourse Rd, Donald 3480
 Mob: 0429 333 225 | E: andy@harberger.com.au

harberger.com.au

AGI is a leading provider of equipment solutions for agriculture bulk commodities including seed, fertilizer, grain, and feed systems with a growing platform in providing equipment and solutions for food processing facilities. AGI has manufacturing facilities in Canada, the United States, the United Kingdom, Brazil, South Africa, India and Italy and distributes its products globally.



AGGROWTH.COM aggrowthintl

DEALER BROCHURE 1219